



** TDK Cold Storage Door.


Cold storage Swing door

TDK cooler and freezer swing doors provide proven performance and time-tested sealing for any new or existing application, Our cooler and freezer doors are suitable for interior and exterior applications, and can be custom manufactured to your exact requirements.



Door panel: PVC panel frame, fire resistant foam with 22 gauge stainless steel finish.

Hinge: Adjustable spring stainless steel hinge, make sure every open have a perfect self close to save energy. With Door panel position adjustable function.








Options

- Single door or Double Door.
- Finish: Galv Steel, Stainless steel, Aluminum.
- · Heated or none heated window.
- 4" or 6" thick door panel.
- Panic device.

Cold storage Sliding door




Door panel: Two thermal break aluminum panel frame(recycle material with great energy saving). Fire resistant foam. Stainless steel, aluminum or Galv steel with powder coating finish.



Heater: Self-Regulating Heating Cable, 220-240V single phase. 45W/m.

Opeator: IP67 speed adjustable operator, with compact servo motor, with soft open and close.



TDK Lift Up Cold Storage Doors



DK FD Fast Drive, revolutionizing cold storage access with swift efficiency. Crafted with aluminum or PVC finishes, its 4" thick thermal break door panel ensures optimal insulation. With an impressive opening speed of up to 48" per second, it's ideal for automatic warehouses and high-traffic environments. Say goodbye to sluggish operations and welcome seamless access for enhanced productivity.

Features:

Opening Size: up to 96"X96.

Door panel: Light weight panel with great insulation.

Operator: TDK compact servo motor.

Option: Window, pull cord, remote control.

TDK SD Cold storage lift up door

TDK SD Lift-Up Cold Storage Door, engineered for optimal energy efficiency in loading dock environments. Available in stainless steel or galvanized steel finishes, its 4" or 6" insulated door panel ensures superior thermal insulation. Equipped with a counterbalance system, it offers smooth and reliable operation, perfect for loading docks with limited daily use (up to 20 cycles). Say goodbye to energy waste and hello



to sustained temperature control, ensuring your warehouse remains efficiently insulated while facilitating seamless operations.

Features:

Opening size: up to 10'X10'.

Cycle limit: 20 open and close cycle per day.

Open and Close speed: 12"/sec.

Option: window, pull cord, press botton.

More Products from TDK >>>



Over Head Doors



Traffic Doors



Corrosion Resistant Doors



Cold Storage Doors



Website: www.tdkdoors.com • Email: info@tdkdoors.com

For downloadable drawings and specifications please visit www.tdkdoors.com