







TRAFFIC DOORS HIGH - QUALITY TRAFFIC DOORS



We stand behind our products

Warranty: All TDK traffic doors have a standard 2 years warranty.

We design new specialty doors

Innovation: TDK engineering team continuously designs new traffic doors to better serve our customers' needs.

The most comprehensive range of traffic doors that can meet the needs of different customers with different application.





TDK Doors is a professional manufacturer of high-quality traffic doors. Our products are installed and performing well in a wide variety of applications and markets, including restaurants, grocery stores, refrigerated warehouses, food processing plants, and general industrial applications.

PRODUCT SELECTION CHART

01

HE 100

Application: Cooler need better insulation and energy saving

Technology: Double Gasketing and no thermal bridge

Patent Pending

02

HE 50

Application: Cooler and heavy duty warehouse or high end supermarket store

Technology: No thermal bridge and reinforcement frame work inside

Patent Pending

03

PL 38V

Application: Perfect for supermarket stores

Technology: Fast manufacturer and Fast delivery

04

PL 24E

Application: Stores and restaurant

Technology: Fast manufacturer and Fast delivery

05

RS 3000

Application: Store, restaurant and coffee shop

06


Alu 1000/SS 1000

Application: Restaurant




HE 100

Great R value with double gasket on the whole door make HE 100 perfect for cooler application




Fully sealed 4-inch thick insulated door panel, work with TDK heavy duty V-cam and rollers. Great R-value make HE 100 perfect for coolers.

Patent pending on double gasket design for all four sides of the door panel, this design will reduce end user's energy bill for sure.



V-cam/Roller assembly hinge



4" door panel with double gasket patent pending



Royal Blue



Metallic Gray



Black



Beige



Red


Door Panel

- · 4" Thick Doors Panel with Tough Exterior
- Polyethylene Foam Core Chemically Bonded with ABS Finish
- Double Panes



Options

- Window Sizes
- Bumper or Impact/Kick Plate
- Cart Guards
 Push Plate
- · Pull Handle



Reinforcement aluminum frame work inside of panel

Applications

- · Retail
- Institutional

Warehouse

- Restaurant
- Industrial
- Supermarket
- · Food Service

Types of Traffic

- Personnel
- Cart
- Pallet Jack

- · Temperature Cooler/Freezer
- Wash Down
- Corrosion Resistance



HE 50

1 7/8" heavy duty panel make HE 50 withstand the most harsh application.




Door Panel

- · 1 7/8" Thick Doors Panel with Tough Exterior
- Polyethylene Foam Core Chemically Bonded with ABS Finish



Options

- Window Sizes
 Single Pane/Double Pane
- Bumper or Impact/Kick Plate
- Cart Guards
 Push Plate
 Pull Handle



Reinforcement aluminum frame work inside of panel

Applications

- · Retail
- Institutional
- Restaurant
- Industrial
- Supermarket
- Warehouse
- Food Service

Types of Traffic

- · Personnel
- Cart
- · Pallet Jack
- Motorized Forklift

- Temperature Cooler/Freezer
- Wash Down
- · Corrosion Resistance



PL 38V

This doors designed for strength and durability in tough applications.



Door Panel

- · 1 1/2" Thick Doors Panel with Tough Exterior
- Polyethylene Foam Core Chemically Bonded with ABS Finish



Options

- Window Sizes
 Single Pane/Double Panes
- Bumper or Impact/Kick Plate
- · Cart Guards · Push Plate · Pull Handle



Applications

- · Retail
- Cold Storage
- Restaurant
- Institutional
- Supermarket
- Industrial
- Food Service
- Warehouse

Types of Traffic

- · Personnel
- Cart
- Pallet Jack
- · Motorized Pallet Jack

- Temperature Cooler
- Wash Down
- · Corrosion Resistance



PL 24E

This door is medium duty traffic door and designed to faciliate the flow of traffic in a variety of applications.



Door Panel

- · .95 " Thick Doors Panel with Tough Exterior
- Plastic Honeycomb Core Chemically Bonded with ABS Finish



Options

- Window Sizes
 Single Pane/Double Panes
- Bumper or Impact/Kick Plate
- Cart Guards
 Push Plate
 Pull Handle



Applications

- · Retail
- Institutional
- Restaurant
- Industrial
- Supermarket
- Warehouse
- Food Service

Types of Traffic


- · Personnel
- Cart
- · Pallet Jack

- Temperature Ambiet
- Wash Down



RS 3000


Laminate finish with stainless steel edge cap give RS 3000 attractive good looking.




Variety of standard color choies. Single pane.(Window sizes optional).

Optional LLDPE tear drop spring bumpers.

Standard heavy-duty bottom hinge pin stabilizes the panel in the frame.



Classic E series gravity close hinge system



Stsinless Steel Cap



special color available consult factory

Door Panel

- · 3/4" Thick Doors Panel with Tough Exterior
- Wood Core with Decorative Laminate





Options

- Window Sizes
- Bumper or Impact/Kick Plate
- · Cart Guards · Push Plate · Pull Handle



Applications

- · Retail · F
- Food Service
- Restaurant
 Supermarket

Types of Traffic

- Personnel
- Cart

Environments

Temperature - Ambiet



Alu 1000 SS 1000

Aluminum/Stainless sheet doors is the most economy traffic door option in light duty application.



.06" Aluminum or stainless steel panel, with triangle aluminum extrusion edge, different window size is available.





Triangle aluminum extrution edge

Door Panel

- Alu 1000 -- .06" anodized aluminum alloy door panel with aluminum triangle extrusion cap
- SS 1000 -- .06" Stainless steel sheet panel with aluminum triangle extrusion cap



Options

- Window Sizes
- Bumper or Impact/Kick Plate
- Cart Guards



Applications

- · Retail
- Restaurant
- Institutional
- · Food Service

Types of Traffic

- · Personnel
- Cart

Environments

- Temperature - Ambiet







Minimum Panel Thickness: 1.1" 1/8" Single Pane




















Minimum Panel Thickness: 1.58" 1/8" Single Pane











Minimum Panel Thickness: 1" 1/8" Single Pane












Minimum Panel Thickness: 1.34" 1/8" Single Pane







Minimum Panel Thickness: 0.87" 1/8" Single Pane








Traffic Door Hinges





Traffic Door Gasket














MORE PRODUCTS >>>



Special Traffic Doors



High Speed Doors



Fiberglass Doors



Website: www.tdkdoors.com • Email: info@tdkdoors.com

For downloadable drawings and specifications please visit www.tdkdoors.com